

WAVE LED UV WAL026814



WaveLED-UV T105 BI 5D CLA ESD EU

Wave LED UV is an illuminated magnifier ideal for the inspection of conformal coatings as well as for the detailed inspection of welds, solder joints and other areas of stress concentration.



Light source

Number of lamps	2
Light source	LED
Colour rendering and colour temperature	CRI > 80, 4000K
Lamp power (W)	12
Lumen/Watt	46
Lumen Out	600
Luminous flux decline (LLMF) 50000h Ta25	0.80

Technical data

Maximum ambient temperature (°C)	25
IP classification	20
ESD	X

Dimensions

Net weight (kg)	3,6
Arm length (cm)	105

Electrical data

Voltage from (V)	230
Maximum voltage (V)	240
Maximum frequency (Hz)	60
Minimum frequency (Hz)	50
Total consumption (W)	13

Optic

Primary Lens	5
Focal Length	200
Total magnification	225

Termination

Cable length (m)	1.7
Mounting Accessories	CLA

Body

Colour of body	Black
----------------	-------

WAVE LED UV
WAL026814



WaveLED-UV T105 BI 5D CLA ESD EU

Wave LED UV is an illuminated magnifier ideal for the inspection of conformal coatings as well as for the detailed inspection of welds, solder joints and other areas of stress concentration.



Drawings

