

Wiha PicoFinish.

The comfortable precision screwdriver.



Screw symbols printed in white on the rotating cap make it easier to identify each screwdriver.

The PicoFinish is distinguished by top-quality materials and an ergonomic handle design. The comfortable precision screwdriver with multi-component handle, rapid rotating zone and easy-movement rotating cap is a professional tool for all precision work for confined screw applications. To make things even easier for the user working with tiny screws, we've developed a second, smaller handle. The colour-coded marking of the drive symbol on the rotating cap is also new. This makes it easier to recognise the individual screwdrivers when several are being used at once.



precise ChromTop® tip ensures a secure hold in the screw head.



The smooth-running turn-cap protects the palm of your hand.

The blades are made of top-quality chrome-vanadium-molybdenum steel to ensure a particularly long tool life. They are subsequently through-hardened in a controlled process and chrome-plated. The



Wiha PicoFinish.

- Ergonomic handle design with soft zone for comfortable work
- Easy-movement rotating cap for rapid hand action
- The white imprint of the screw symbol eases recognition
- Through-hardened, chrome-plated blade made of chrome-vanadium-molybdenum steel for a long tool life
- Wiha ChromTop® tip guarantees a secure hold in the screw head
- Ideal for all fine, filigree applications in electronics and precision-mechanics applications, as well as for DIY and model-building

For slotted and Phillips screws.



260P PicoFinish slotted screwdriver.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Order-No.	⌀	↔	⊖	●	↔	+	↔
00475	0.8	40	0.16	2.0	134	9	10
00476	1.0	40	0.18	2.0	134	9	10
00477	1.2	40	0.2	2.0	134	9	10
00478	1.5	40	0.25	2.0	134	9	10
00479	1.5	60	0.25	2.0	154	9	10
00480	1.8	40	0.3	2.0	134	9	10
00481	1.8	60	0.3	2.0	154	9	10
00482	2.0	40	0.4	2.0	140	18	10
00484	2.0	60	0.4	2.0	160	18	10
00485	2.0	100	0.4	2.0	200	18	10
00486	2.5	50	0.4	2.5	150	18	10
00487	2.5	75	0.4	2.5	175	18	10
00488	2.5	100	0.4	2.5	200	18	10
00490	3.0	50	0.5	3.0	150	18	10
00492	3.0	100	0.5	3.0	200	18	10
00493	3.0	150	0.5	3.0	250	18	10
00495	3.5	60	0.6	3.5	160	18	10
00497	4.0	60	0.8	4.0	160	18	10
00498	4.0	100	0.8	4.0	200	18	10
00499	4.0	150	0.8	4.0	250	18	10



261P PicoFinish Phillips screwdriver.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Order-No.	⊕	↔	●	↔	+	↔
00513	PH000	40	2.0	134	9	10
00512	PH00	40	2.0	134	9	10
00514	PH00	60	2.0	154	9	10
00511	PH0	50	3.0	150	18	10
00515	PH0	75	3.0	175	18	10
00516	PH1	60	4.0	160	18	10
00517	PH1	80	4.0	180	18	10
00518	PH1	150	4.0	250	18	10

For Pozidriv and TORX® screws.



262P PicoFinish Pozidriv screwdriver.
Handle with rotating cap and rapid-turning zone.

Order-No.	⊕	↔	●	↔	+	↔
04461	PZ0	50	3.0	150	18	10
04462	PZ1	60	4.0	160	18	10



267P PicoFinish TORX® screwdriver.
Handle with rotating cap and rapid-turning zone.

Order-No.	⊕	↔	●	↔	+	↔
25673	T1	40	2.5	134	9	10
25674	T2	40	2.5	134	9	10
20122	T3	40	2.5	134	9	10
20123	T4	40	2.5	134	9	10
00566	T5	40	2.5	134	9	10
00567	T6	40	2.5	140	18	10
00568	T7	40	2.5	140	18	10
00569	T8	40	2.5	140	18	10
00570	T9	50	3.0	150	18	10
00571	T10	50	3.0	150	18	10
00572	T15	60	3.5	160	18	10
00573	T20	60	4.0	160	18	10



267PR PicoFinish TORX® MagicSpring® screwdriver.
Handle with rotating cap and rapid-turning zone.
Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Order-No.	⊕	↔	●	↔	+	↔
27729	T6	40	2.5	140	18	10
27730	T7	40	2.5	140	18	10
27731	T8	40	2.5	140	18	10
27732	T9	50	3.0	150	18	10
27733	T10	50	3.0	150	18	10
27734	T15	60	3.5	160	18	10

Wiha PicoFinish.

The comfortable precision screwdriver.

For TORX PLUS® screws.



267PIP PicoFinish TORX PLUS® screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Extra: The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
29100	4IP	40	2.5	134	9	10
29101	5IP	40	2.5	134	9	10
29102	6IP	40	2.5	140	18	10
29103	7IP	40	2.5	140	18	10
29104	8IP	40	2.5	140	18	10
29105	9IP	50	3.0	150	18	10
29106	10IP	50	3.0	150	18	10
29107	15IP	60	3.5	160	18	10
29108	20IP	60	4.0	160	18	10



NEW

267PIPR PicoFinish TORX PLUS® security screwdriver (tamper-resistant).

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for repairing smartphones, tablets, notebooks, etc.

Attention: The guarantee and warranty conditions of the device manufacturer must be observed!

Security profile - sold only to authorised customers. Written proof of authorisation must be received.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
38837	1IPR	40	2.5	134	9	10
38838	2IPR	40	2.5	134	9	10
38839	3IPR	40	2.5	134	9	10
38840	4IPR	40	2.5	134	9	10
38842	5IPR	40	2.5	134	9	10
38843	6IPR	40	2.5	140	18	10

For hex socket screws.



263P PicoFinish hex screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
00519	0.7	40	0.028	134	9	10
00520	0.9	40	0.035	134	9	10
00521	1.3	40	0.05	134	9	10
00522	1.5	50	-	144	9	10
00523	2.0	50	5/64	150	18	10
00524	2.5	60	-	160	18	10
00525	3.0	60	-	160	18	10

263P Zoll PicoFinish hex screwdriver. Inch sizes.

Handle with rotating cap and rapid-turning zone.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
00526	1/16	50	144	9	10	10
00528	3/32	60	160	18	10	10
00530	7/64	60	160	18	10	10
00527	1/8	60	160	18	10	10



264P PicoFinish ball end hex screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
00531	1.3	40	0.05	134	9	10
00532	1.5	50	-	150	18	10
00533	2.0	50	-	150	18	10
00534	2.5	60	-	160	18	10
00535	3.0	60	-	160	18	10

264P Zoll PicoFinish ball end hex screwdriver. Inch sizes.

Handle with rotating cap and rapid-turning zone.

Order-No.	Tip	Length	Tip Length	Tip Width	Tip Height	Tip Depth
00537	1/16	50	150	18	10	10
00541	5/64	50	150	18	10	10
00539	3/32	50	150	18	10	10
00542	7/64	60	160	18	10	10
00538	1/8	60	160	18	10	10
00543	9/64	60	160	18	10	10
00540	5/32	60	160	18	10	10

For hex nuts. Chip lifter.



265P PicoFinish hex nut driver.

Handle with rotating cap and rapid-turning zone.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
 Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Order-No.	Ø	↔	↔	↔	↔	↔	↔
00544	1.5	60	2.5	3.0	160	18	10
00545	1.8	60	2.9	3.5	160	18	10
00546	2	60	3.2	4.0	160	18	10
00547	2.5	60	4.0	4.0	160	18	10
00548	3	60	5.0	5.0	160	18	10
00549	3.2	60	5.0	5.0	160	18	10
00550	3.5	60	5.3	6.0	160	18	10
00551	4	60	5.5	6.0	160	18	10
00552	4.5	60	6.2	7.0	160	18	10
00553	5	60	6.8	7.0	160	18	10
00554	5.5	60	7.6	8.0	160	18	10
00555	6	60	8.2	9.0	160	18	10
00556	7	60	9.6	10.0	160	18	10

265P Zoll PicoFinish hex nut driver. Inch sizes.

Handle with rotating cap and rapid-turning zone.

Order-No.	Ø	↔	↔	↔	mm	↔
00561	3/32	60	160	18	2.38	10
00564	7/64	60	160	18	2.78	10
00559	1/8	60	160	18	3.18	10
00565	9/64	60	160	18	3.57	10
00562	5/32	60	160	18	3.97	10
00560	3/16	60	160	18	4.76	10
00563	7/32	60	160	18	5.56	10
00558	1/4	60	160	18	6.35	10



268P PicoFinish chip lifter.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle.
 Application: For lifting tight parts on circuit boards.

Order-No.	↔	↔	↔	↔	↔	↔
00574	1	3.5	50	150	18	5

Hex sets.



263P K6 PicoFinish hex screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
 Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.
 Extra: Practical plastic rack with hanging holes.

Order-No.	Series	↔
38162	263P K6	1
●	263P	0.9x40 1.3x40 1.5x50 2.0x50
		2.5x60 3.0x60



264P K6 PicoFinish ball end hex screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
 Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.
 Extra: Practical plastic rack with hanging holes.
 The ball end enables the user to work at angles up to 25°.

Order-No.	Series	↔
00536	264P K6	1
●	263P	0.9x40
●	264P	1.3x40 1.5x50 2.0x50 2.5x60
		3.0x60

Wiha PicoFinish.

The comfortable precision screwdriver.

Slotted/ Phillips sets.



260P K6 PicoFinish slotted/ Phillips screwdriver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.

Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
00503	260P K6					1
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50			

Display.



260 VB1 PicoFinish display.
Acryl glass display with 70 pieces.

Size: 22 x 19 x 35 cm (WxDxH).

Order-No.	Series					
36151	260 VB1					1
⓪	260P	7x1.5	7x1.8	7x2.0	7x2.5	
		7x3.0	7x3.5			
⊕	261P	7xPH000	7xPH00	7xPH0	7xPH1	



260P K7 PicoFinish slotted/ Phillips screwdriver set, 7 pcs.
Handle with rotating cap and rapid-turning zone.

Order-No.	Series					
00504	260P K7					1
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50	PH1x60		

TORX® sets.

TORX® MagicSpring® set. Nut driver set.



267P K6M PicoFinish TORX® screwdriver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
Application: Profi set for mobile phones and electrical devices.
Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
24002	267P K6M				1
☛	267P	T4x40	T5x40	T6x40	T7x40
		T8x40	T9x50		



267PR K6 PicoFinish TORX® MagicSpring® screwdriver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.
Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
Application: For setting and tightening TORX® screws in difficult to access areas.
Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
27747	267PR K6				1
☛	267PR	T6x40	T7x40	T8x40	T9x50
		T10x50	T15x60		



267P K6 PicoFinish TORX® screwdriver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.
Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
03765	267P K6				1
☛	267P	T7x40	T8x40	T9x50	T10x50
		T15x60	T20x60		



265P K6 PicoFinish hex nut driver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Wiha PicoFinish handle for sensitive and fast screw fixing.
Application: Ideal for fine and delicate fastening tasks for electronics, precision mechanics, model-making and hobby activities.
Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
00557	265P K6				1
☛	265P	2.5x60	3x60	3.5x60	4x60
		5x60	5.5x60		