

# Wiha SYSTEM 4.

Ideal for precision work.



Colour-coded ChromTop® tips for maximum clarity.

Due to its versatility and quality the Wiha **SYSTEM 4** is a reversible blade system that convinces every user.

Either for slotted, Phillips, TORX® or hex screws, the wide product range provides the right model for every application.

All reversible blades are made of high-quality CVM-steel, through hardened and chrome-plated, which provides an extra long service-life. The Wiha ChromTop® tips guarantee a perfect fit every time.

Just choose from the **SYSTEM 4** products for the relevant tool. Following handles are offered.

- The ergonomic **SoftFinish® telescopic handle**.
- The dissipative **SoftFinish® telescopic ESD handle**.

Each with adjustable blade lengths from 18 – 90 mm.

We offer **SYSTEM 4** sets in compact roll-up pouches, rigid metal and easy access plastic boxes.




Convincing variety and quality. **SYSTEM 4** – a real multi-tasker.



## Wiha **SYSTEM 4**.

- Versatile reversible precision blade system
- Sets in compact roll-up pouches, rigid metal- or easy access plastic-boxes
- Ergonomic handles for almost every application
- Colour-coded blades made of high-quality, tough chrome-vanadium-molybdenum steel, through hardened, chrome-plated
- Wiha ChromTop® tips ensure a perfect fit every time



The **ClickStop** ball clamp in each telescopic handle allows 24 different visible blade lengths between 18 and 90 mm in 3 mm increments.

**SYSTEM 4 handles.**



**2691** SYSTEM 4 SoftFinish®-telescopic handle.  
Ergonomic multi-component handle with roll-off protection.

Handle: With 4 mm hex retainer for all SYSTEM 4 blades.  
Enables adjustable blade lengths from 18 - 90 mm.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Application: Ideal for all precision work in the fields of electronics and mechanics.

Order-No.	⌀	↔	↕	▬
30373	4.0	105	23	10



**2691ESD** SYSTEM 4 SoftFinish®-telescopic ESD handle.  
Dissipative handle, ESD-safe.

Handle: Ergonomic multi-component handle with roll-off protection.  
With 4 mm hex retainer for all SYSTEM 4 blades.  
Enables adjustable blade lengths from 18 - 90 mm.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.  
Surface resistance 10<sup>6</sup> - 10<sup>9</sup> ohms.

Standards: IEC 61340-5-1.

Application: For working on electrostatically sensitive components.

Order-No.	⌀	↔	↕	▬
31498	4.0	105	23	10



**Safety Notice:**  
Wiha ESD screwdrivers are non-insulated, therefore not suitable for working on live parts.

**SYSTEM 4 reversible blades.**



**269** SYSTEM 4 slotted reversible blade.  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Order-No.	⌀	⌀	⊖	⊖	↔	⬢	▬
00576	1.5	3.0	0.25	0.5	120	4.0	5
00577	2.0	3.5	0.4	0.6	120	4.0	5
00578	2.5	4.0	0.4	0.8	120	4.0	5



**269** SYSTEM 4 slotted Phillips reversible blade.  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Order-No.	⌀	⊕	⊖	↔	⬢	▬
00601	2.0	PH00	0.4	120	4.0	5
00602	3.0	PH0	0.5	120	4.0	5
00603	4.0	PH1	0.8	120	4.0	5



**269** SYSTEM 4 Phillips reversible blade.  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⬢	▬
00579	PH000	PH00	120	4.0	5
00580	PH0	PH1	120	4.0	5



**269** SYSTEM 4 Pozidriv reversible blade.  
Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⬢	▬
03186	PZ0	PZ1	120	4.0	5

# Wiha SYSTEM 4.

Ideal for precision work.

## SYSTEM 4 reversible blades.



### 269 SYSTEM 4 TORX® reversible blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Order-No.					
26122	T1	T2	120	4.0	5
26123	T3	T4	120	4.0	5
26124	T5	T6	120	4.0	5
00597	T6	T8	120	4.0	5
00598	T7	T9	120	4.0	5
00599	T10	T15	120	4.0	5
00600	T15	T20	120	4.0	5



### 269 SYSTEM 4 combined ball end hex - hex reversible blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.

Extra: The ball end enables the user to work at angles up to 25°.

Order-No.					
00582	1.3	1.3	120	4.0	5
00583	1.5	1.5	120	4.0	5
00584	2	2	120	4.0	5
00585	2.5	2.5	120	4.0	5
00586	3	3	120	4.0	5
00587	4	4	120	4.0	5

## SYSTEM 4 reversible blades.



### 269 SYSTEM 4 nut driver.

For hex nuts.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Application: For hex nuts.

Order-No.					
00588	1.5	1.8	125	4.0	5
00589	2	2.5	125	4.0	5
00590	3	-	125	4.0	5
00591	3.2	-	125	4.0	5
00592	3.5	-	125	4.0	5
00593	4	-	125	4.0	5
00594	4.5	-	125	4.0	5
00595	5	-	125	4.0	5
00596	5.5	-	125	4.0	5



### U759 00 SYSTEM 4 bit holder.

Suitable for C 4 (4 mm) bits.

Blade: Chrome-vanadium steel, through hardened, electro-plated.

Order-No.					
09195	4.0	135	4.0	9	1

## Wiha Info



Practical and compact:  
select the appropriate blade –  
insert it into the handle –  
that's all there is to it!

## SYSTEM 4 sets.



Telescopic

**269 T4** SYSTEM 4 reversible blades set, 4 pcs.  
Slotted/ Phillips.

- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series	
00613	269 T4	10
	2691	SYSTEM 4 SoftFinish®-telescopic handle
① ⊕	269	2.0 - PH00 3.0 - PH0 4.0 - PH1

## SYSTEM 4 sets.



Telescopic

**269 T11** SYSTEM 4 reversible blades set, 11 pcs.  
Slotted/ Phillips/ hex/ ball end hex.

- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series	
00610	269 T11	5
	2691	SYSTEM 4 SoftFinish®-telescopic handle
① ①	269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0
⊕ ⊕	269	PH000 - PH00 PH0 - PH1
● ●	269	1.3 - 1.3 1.5 - 1.5 2 - 2 2.5 - 2.5
		3 - 3



Telescopic

**269 T6** SYSTEM 4 reversible blades set, 6 pcs.  
Slotted/ Phillips.

- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series	
00616	269 T6	5
	2691	SYSTEM 4 SoftFinish®-telescopic handle
① ①	269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0
⊕ ⊕	269	PH000 - PH00 PH0 - PH1



Telescopic

**269 T6 01** SYSTEM 4 reversible blades set, 6 pcs.  
Phillips/ TORX®.

- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series	
26121	269 T6 01	5
	2691	SYSTEM 4 SoftFinish®-telescopic handle
⊕ ⊕	269	PH000 - PH00 PH0 - PH1
⊛ ⊛	269	T3 - T4 T5 - T6 T8 - T10

# Wiha SYSTEM 4.

Ideal for precision work.

## SYSTEM 4 sets.



### 269 T11 01 SYSTEM 4 reversible blades set, 11 pcs. Slotted/ Phillips/ TORX®/ hex/ ball end hex.

- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
27820	269 T11 01				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
① ①	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1			
⊗ ⊗	269	T6 - T8	T7 - T9		
● ●	269	1.5 - 1.5	2 - 2	2.5 - 2.5	

## SYSTEM 4 sets in plastic boxes.



### 269 EB53 SYSTEM 4 reversible blades set, 5 pcs. Slotted/ Phillips.


- Blade: High quality CVM steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Application: Ideal for all precision work.
- Extra: Delivery in a rigid, arrangeable plastic box.

Order-No.	Series				
32317	269 EB53				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
① ①	269	1.5 - 3.0	2.0 - 3.5		
⊕ ⊕	269	PH000 - PH00 PH0 - PH1			

## Wiha Info



Press sleeve:  
=> Blade lock is released



Press and hold down sleeve:  
=> Set desired blade length



Release sleeve:  
=> Blade is held securely



### 269 EB95 SYSTEM 4 reversible blades set, 9 pcs. Slotted/ Phillips/ TORX®.

- Blade: High quality CVM steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
- Application: Ideal for all precision work.
- Extra: Delivery in a rigid, arrangeable plastic box.

Order-No.	Series				
32316	269 EB95				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
① ①	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1			
⊗ ⊗	269	T6 - T8	T7 - T9	T10 - T15	





**Safety Notice:**

Wiha ESD screwdrivers are non-insulated, therefore not suitable for working on live parts.

**SYSTEM 4 display and ESD set.**



Telescopic



**269 VB1** SYSTEM 4 display.  
Acryl glass display with 85 pieces.

Order-No.	Series				
00620	269 VB1				
	2691	4xSYSTEM 4 SoftFinish®-telescopic handle			
⓪	⓪ 269	4x4.0			
⓪	⓪ 269	7x1.5	7x2.0		
⊕	⊕ 269	7xPH000	7xPH0		
⦿	⦿ 269	7x1.5	7x2	7x2.5	7x3
⦿	⦿ 269	7xT6	7xT7	7xT10	



Telescopic



**2691 T11 ESD** SYSTEM 4 ESD reversible blades set, 11 pcs.  
Slotted/ Phillips/ TORX®/ hex/ ball end hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Colour-coded Wiha ChromTop® tips.  
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic ESD handle.  
ESD-safe (dissipative), surface resistance 10<sup>6</sup> - 10<sup>9</sup> ohms.  
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: In a roll-up pouch made of ESD-safe material.

Order-No.	Series				
31499	2691 T11 ESD	5			
	2691ESD	SYSTEM 4 SoftFinish®-telescopic ESD handle			
⓪	⓪ 269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
⊕	⊕ 269	PH000 - PH00 PH0 - PH1			
⦿	⦿ 269	T6 - T8	T7 - T9		
⦿	⦿ 269	1.5 - 1.5	2 - 2	2.5 - 2.5	

**SYSTEM 4 ESD sets.**



Telescopic



**7000 EB16 ESD** SYSTEM 4 ESD bit set, 16 pcs.  
Mixed sets.

Handle: SYSTEM 4 SoftFinish®-telescopic ESD handle.  
ESD-safe (dissipative), surface resistance 10<sup>6</sup> - 10<sup>9</sup> ohms.  
Enables adjustable bit holder blade length.

Standards: DIN 3126, ISO 1173, style C 4.  
IEC 61340-5-1.

Case: No danger to electronic components with use of ESD-safe materials.  
Tough, space-saving metal box.

Application: Bit set suitable for smallest screws with electronic components.  
Flexible working via adjustable blade length and rapid replacement of bit inserts.

Order-No.	Series				
33503	7000 EB16 ESD	1			
	2691ESD	1xSYSTEM 4 SoftFinish®-telescopic ESD handle			
	U759 00	1xSYSTEM 4 bit holder			
⓪	U750	1x2.0	1x3.0		
⊕	U751	1xPH000	1xPH00	1xPH0	1xPH1
⦿	U757	1xT3	1xT4	1xT5	1xT6
		1xT8			
⦿	U753	1x0.9	1x1.3	1x1.5	



Telescopic



**7000 EB26 ESD** SYSTEM 4 ESD bit set, 26 pcs.  
Mixed sets.

Order-No.	Series				
33848	7000 EB26 ESD	1			
	2691ESD	1xSYSTEM 4 SoftFinish®-telescopic ESD handle			
	U759 00	1xSYSTEM 4 bit holder			
⓪	U750	1x1.5	1x2.0	1x3.0	1x4.0
⊕	U751	1xPH000	1xPH00	1xPH0	1xPH1
⦿	U757	1xT3	1xT4	1xT5	1xT6
		1xT7	1xT8	1xT9	1xT10
⦿	U753	1x0.7	1x0.9	1x1.3	1x1.5
		1x2.0	1x2.5	1x3.0	1x4.0