

MUNTZ 555 ESD BLOWVAC



- *ESD Safety*
- *Compact and lightweight*
- *Blower function*
- *Thermal overload protection*
- *Extensive optional accessories*
- *Electronic control (*Optional)*
- *HEPA Motorfilter (*Optional)*

The compact Muntz 555 ESD BLOWVAC series is ideal for detailed cleaning tasks in environments where electrostatic discharge (ESD) protection is essential. This vacuum delivers precise cleaning, reliable ESD safety, and high operational efficiency, making it perfect for use with sensitive electronic equipment and components in various settings.

Technical specifications

Voltage	220-240V 50/60 Hz 120V, 100V 50/60 Hz
Power	800W (±10%)
Housing material	PP
Typical bleeder resistance	$10^7 - 10^9$ Ohm
ESD Safety	IEC 61340-5-1 Compliant
Max. suction power	160 mbar
Max. airflow	35 l/s
Max. noise level	80 dB
Weight	2.2 kg
Dimensions	31.5 x 12 x 18.5 cm
Hose diameter	32 mm
Detachable power cord	C13 – Schuko/UK
Filter bag capacity	1.2 l

Scope of delivery

- 555 ESD Blowvac
- 3 m power cord
- Leather shoulder strap
- 50 cm stretch hose (ratio 3:1)
- Crevice nozzle
- Rubber nozzle
- 5-ply meltblown filterbag
- Micro motorfilter
- HEPA Micro motor filter (*optional)

MUNTZ 555 ESD Accessories



PH-722

Meltblown filterbagset (5 pcs)



PH-723

Meltblown filterbagset (10 pcs)



PH-725

Micro motorfilter



PH-726

HEPA Micro motorfilter




PH-727

HEPA Activated carbon motorfilter



PH-704 ESD

High-capacity HEPA exit filter
(no adapter)



PH-704.A ESD

High-capacity HEPA exit filter
(incl. adapter)



PH-707 ESD

Original hose assembly (0.5m)



PH-707L ESD

Double length hose assembly (1m)



PH-707XL ESD

Super stretch hose assembly (2m)



PH-708 ESD

Two-part blow assembly
(0.7m)



PH-708L ESD

Two-part blow assembly long
(1.2m)



PH-709

Carrying bag (*NON-ESD!*)



PH-710 ESD

Carrying case (low)



PH-711 ESD

Carrying case (high)